

Philips LED Spot

5W (65W)

GU10 White Non-dimmable

8718696733431



Light that's easy on your eyes

Comfortable light from the world leader in lighting

Poor quality light could cause eye strain. It's more important than ever to properly light your home. Philips LED lamps fulfill stringent test criteria to ensure they meet our Eyecomfort requirements†

Choose for high quality light

- Bright white light
- · Homogen beam pattern
- Learn about light

Choose a simple replacement for your old bulbs

- · Similar shape and size as halogen reflector
- · No UV or InfraRed

Choose for a sustainable solution

- Long life bulbs Lasts up to 15 years
- · Better for your wallet and your planet

Create the right light for your home

• Perfect for accent lighting

Comfortable LED light that is easy on your eyes

· Designed for the comfort of your eyes



Highlights

Bright white light



This bulb has a color temperature of 3000K providing you with a bright, warm light, perfect for creating an inviting ambiance to host friends or wind down with a book.

Homogen beam pattern



The Single Optic lens provides a superb light beam without the shadows that normally appear at the beam spread edge, as happens with traditional halogen spots.

Replaces halogen spot



With its beautifully shaped design and familiar dimensions, this is a modern lighting, LED reflector. The perfect sustainable replacement for traditional halogen reflectors.

15,000-hour rated average life



With a lifetime of up to 15,000 hours, you can reduce the hassle of frequently replacing your light bulbs, and enjoy a perfect lighting solution for over 15 years.

Saves up to 80% energy



LED technology saves up to 80% energy compared to your standard bulb. It therefore pays for itself and saves you money year after year. It also helps protect the environment.

Perfect for accent lighting



Modern lighting with a familiar wide angle light output (36 degrees), this LED spot is suitable for both accent lighting and general purpose lighting. It can be used in recessed cans and track light fixtures, and is ideal for use in

kitchens, kitchen island lighting, living rooms and dining rooms.

No UV or IR



The light has no infra-red component, so no heat is radiated. Also, there is no ultra-violet component in this light. These two characteristics mean that this light will not cause fabric and other items to fade.

Learn about light



Color temperature: light can have different color temperatures, indicated in units called Kelvin (K). Bulbs with a low Kelvin value produce a warm, more tranquil light, while those with a higher Kelvin value produce a cool, more energizing light. CRI: the color rendering index (CRI) is used to describe the effect of a light source on color appearance. Natural sunlight has a CRI of 100. The CRI of Philips LED light bulbs is always higher than 80, which ensures colors are shown as true and natural.

Specifications

Bulb characteristics

- Shape: Spot
- Cap/fitting: GU10
- Dimmable: No
- Voltage: 220 240 VWattage: 5
- Wattage equivalent: 65

Power consumption

- Energy efficiency label: A++
 Power consumption per 1000h: 5 kW h

Light characteristics

- Light output: 460 lumen
- Beam angle: 36 degree
 Color temperature: 3000 K
- Color rendering index (CRI): 80

- Warm-up time to 60% light: Instant full light
- EyeComfort: Eye Comfort

Durability

- Number of switch cycles: 50000
- Lumen maintenance factor: 0.7
- Average life (at 2.7 hrs/day): 15 year(s)

Bulb dimensions

- Height: 50 mm
- Width: 54 mm

Other characteristics

- Mercury content: 0 mg
- Power factor: 0.5
- Lamp current: 41 mA
- Lamp Classification Risk Group: RG0



Issue date 2018-11-21

© 2018 Philips Lighting Holding B.V. All Rights reserved.

Version: 4.0.1

Specifications are subject to change without notice. Trademarks are the property of Philips Lighting Holding B.V. or their respective owners.

12 NC: 9290 013 81277 EAN: 87 18696 73343 1

www.philips.com

* Designed for the comfort of your eyes. Visit www.philips.com/ eyecomfort for flicker, strobe and other criteria and product details. * PstLM is smaller or equal to 1.0 measured according to IEC 61547-1 and IEC 61000-4-15.